GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department - Guntur Municipal Corporation – Allegation on purchase of Alum used for water purification at Takkelapadu & Jagarlamudi Treatment plants of Guntur Municipal Corporation – Departmental action initiated against Sri L.Rama Naik, Executive Engineer and three (3) others of Guntur Municipal Corporation – Appointment of Sri M.Zacharaiah, Superintending Engineer, APCRDA, Vijayawada as an Enquiry Officer - Orders – Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.II.1) DEPARTMENT

G.O.RT.No. 710 **Dated: 23-07-2018**

Read the following:-

1) From General Administration (V&E) Department, Vigilance Report No.40 (C.No.1554/V&E/E/2016), dated.31.04.2017.
2) G.O.Rt.Nos.866 to 870, MA&UD (Vig.II) Department, dated.13.12.2017.
3) Served copies of Sri K.Santhi Raju, E.E., and WSDs of Sri V.V.Konda Reddy, Dy.E.E., and Sri V.Satyanarayana, MAE of Guntur Municipal Corporation received through the ENC (PH), A.P., Guntur, letter No.15274/V&E/VR.40/CS2/2017, dated.08.06.2018.

***

O R D E R:

Whereas, an inquiry under Rule-20 of A.P. Civil Services (CC&A) Rules, 1991 is being held against Sri L.Rama Naik, Executive Engineer, Sri V.V.Konda Reddy, the then Deputy Executive Engineer (presently working in CRDA, Vijayawada), Sri K.Santhi Raju, Deputy Executive Engineer and Sri V.Satyanarayana, Assistant Engineer of Guntur Municipal Corporation for allegations on purchase of Alum used for water purification at Takkelapadu & Jagarlamudi Treatment plants of Guntur Municipal Corporation.

2. Whereas, Government after careful examination of the matter, it is considered that an Enquiry Officer should be appointed to inquire into the charges framed against above charged officers.

3. Now, therefore, in exercise of the powers conferred by sub-rule (2) of Rule-20 of A.P. Civil Services (CC&A) Rules, 1991, the disciplinary authority hereby appoints Sri M.Zacharaiah, Superintending Engineer, APCRDA, Vijayawada as an Enquiry Officer to enquire into charges framed against Sri L.Rama Naik, Executive Engineer, Sri V.V.Konda Reddy, the then Deputy Executive Engineer (presently working in CRDA, Vijayawada), Sri K.Santhi Raju, Deputy Executive Engineer and Sri V.Satyanarayana, Assistant Engineer, Guntur Municipal Corporation.

4. The Enquiry Officer shall conduct the enquiry as per APCS (CCA) Rules, 1991 and submit his report within two months from the date of receipt of this order to Government.

(P.T.O)

5. The Engineer-In-Chief (PH), A.P., Guntur shall provide the required material such as Article of Charges, written statement of defence of the Charged Officers etc., to the Enquiry Officer.

6. The receipt of the G.O., shall be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri M.Zacharaiah, Superintending Engineer & Enquiry Officer,
APCRDA, Vijayawada
– **through** the Commissioner, APCRDA, Vijayawada.
Sri D.Srinivas, Deputy Commissioner & Presenting Officer,
Guntur Municipal Corporation, Guntur
– **through** the Commissioner, Guntur Municipal Corporation.
Sri L.Rama Naik, Executive Engineer, Guntur Municipal Corporation,
- **through** the ENC (PH), A.P., Guntur.
Sri V.V.Konda Reddy, the then Deputy Executive Engineer
(presently working in CRDA, Vijayawada),
- **through** the Commissioner, APCRDA, Vijayawada.
Sri K.Santhi Raju, Deputy Executive Engineer, Guntur Municipal Corporation,
- **through** the ENC (PH), A.P., Guntur.
Sri V.Satyanarayana, Assistant Engineer, Guntur Municipal Corporation,
- **through** the ENC (PH), A.P., Guntur.
The Engineer-In-Chief (PH), A.P., Guntur.
Copy to:
The Commissioner, APCRDA, Vijayawada.
The Commissioner, Guntur Municipal Corporation, Guntur.
The G.A. (V&E) Department, A.P., Vijayawada.
SF / SCs.

// FORWARDED BY ORDER //

SECTION OFFICER.